

INSTRUCTION MANUAL

The OASIS measures the core domains of subjective illness awareness in obesity, including general illness awareness, accurate symptom attribution, awareness of need for treatment, and awareness of negative consequences attributable to being overweight or having obesity.

OASIS is the first validated, obesity-specific instrument that reliably and comprehensively measures subjective obesity awareness. Item development was guided by existing theoretical models and previously validated scales of illness awareness in other conditions, including neuropsychiatric disorders. OASIS shows good psychometric properties with strong internal consistency, convergent and discriminant validity, and test-retest reliability. The 8-item scale can be completed in less than 2 minutes. Each scale item consists of a 10-point Likert scale to capture small differences in awareness. OASIS can be used clinically and for research, including epidemiological studies and prospective treatment trials to investigate the extent to which subjective obesity awareness contributes to medication adherence and clinical outcomes; or neuroimaging and neurophysiological studies to identify the neural correlates of obesity awareness.

The OASIS is available for download at www.illnessawarenessscales.com. Please see legal terms of use.

Below you will find instructions on how to use and score OASIS.



Prior to administering OASIS, the participant or the clinician is to enter data on the most recent weight and height, calculated BMI, blood pressure, fasting glucose, and HbA1c level on the top of page 1. Note that this clinical data is not required for the completion of OASIS. BMI provides an objective measure to support the participant being overweight or having obesity. Similarly, blood pressure and glucose levels provide markers of the status of other metabolic factors.

The scale consists of the following:

- 1) ASSESSMENT OF SYMPTOM ATTRIBUTION (Page 1)
- 2) ASSESSMENT OF GENERAL ILLNESS AWARENESS, AWARENESS OF NEED FOR TREATMENT, AND AWARENESS OF NEGATIVE CONSEQUENCES (Page 2)
- 3) SCORING SHEET

The participant should read all content of the OASIS in order to accurately report his/her understanding of his/her illness, symptoms, need for treatment and negative consequences of the illness.

- - -

ASSESSMENT OF SYMPTOM ATTRIBUTION (Page 1)

The ASSESSMENT OF SYMPTOM ATTRIBUTION (page 1) consists of an introductory statement indicating that the participant should report on his/her own beliefs about his/her weight and NOT on what others may wish him/her to believe.

We are interested in your own beliefs about your weight. We are NOT interested in what others believe or may wish you to believe.

Indicate if you have any of the following health related experiences by reading the questions and marking Eleither Yes or No.

Following the introductory statement, the participant is to report on <u>current</u> health-related symptoms in a categorical fashion, i.e. by marking 'Yes' or 'No' beside the listed symptoms. The aim is for the participant to indicate *any* health-related symptoms he/she has.

If the participant reported 'No' to all of the listed symptoms, he/she is instructed to proceed to the next page.



If the participant said 'Yes' to any of the listed symptoms, he/she is instructed to indicate the extent to which he/she agrees or disagrees at the <u>present moment</u> with the proceeding statement by circling the appropriate number, keeping in mind his/her health-related experience.

		Yes	No
A)	Do you regularly have trouble breathing, particularly with movement (i.e. walking, running, climbing stairs, etc.)?		
B)	Do you regularly have trouble sleeping at night?		
C)	Do you regularly wake up gasping for air?		
D)	Are you regularly fatigued?		
E)	Do you regularly feel down or depressed?		
F)	Do you avoid being around other people?		
G)	Do you regularly have aches and pains?		
H)	Do you frequently have chest pain, particularly with movement (i.e. walking, running, climbing stairs, etc.)?		
I)	Do you sometimes lose control of your bladder?		
J)	Other:		

[☐] If 'NO' to ALL of the above, please go to the next page.

Item 1 specifically assesses the participant's *Symptom Attribution*, i.e. the degree to which the participant is able or unable <u>at the present moment</u> to attribute his/her health-related symptoms (current or past) to his/her weight.

In some cases, a participant may not report any health-related symptoms, which may leave the participant unable to rate item 1. If this is the case, the participant should leave item 1 unrated as though it were 'Not applicable', which will allow for proper scoring of OASIS (See SCORING SHEET).

[☐] If 'YES' to any of the above, indicate the extent to which you agree or disagree <u>at the present moment</u> with the following statement by circling the appropriate number, keeping in mind your health related experiences.



ASSESSMENT OF GENERAL ILLNESS AWARENESS, AWARENESS OF NEED FOR TREATMENT, AND AWARENESS OF NEGATIVE CONSEQUENCES (Page 2)

The ASSESSMENT OF GENERAL ILLNESS AWARENESS, AWARENESS OF NEED FOR TREATMENT, AND AWARENESS OF NEGATIVE CONSEQUENCES (Page 2) consists of an introductory statement indicating that the participant should indicate the extent to which he/she agrees or disagrees <u>at the present moment</u> with the statements from item 2 to item 8.

Please indicate the extent to which you agree or disagree <u>at the present moment</u> with each of the following statements by circling the appropriate number.

Item 2, item 4, and item 7 specifically assesses the participant's *General Illness Awareness*, i.e. the participant's awareness that he/she is overweight or obese (i.e. Body Mass Index greater than 25 = overweight; Body Mass Index greater than 30 = obese).

Item 3, item 5, and item 8 specifically assess the participant's *Awareness of Need for Treatment*, i.e. the participant's awareness of the need for lifestyle modifications (physical activity and dietary changes) or treatment.

Item 6 specifically assesses the participant's *Awareness of Negative Consequences* attributable to the obesity, including high cholesterol, hypertension, diabetes, heart disease, depression.



SCORING SHEET

The SCORING SHEET allows for the proper scoring of the OASIS' Awareness Categories and Average Total Score. Step-by-step instructions are provided below.

Calculate each Awareness Category score by copying the rating from each item to the
corresponding blank space on the SCORING SHEET. For example, if the rating for Item
1 of is '8' Moderately Agree then '8' should be copied to the blank space beside Q1 of
the Symptom Attribution category of the SCORING SHEET.

*Note that the score for the Symptom Attribution category should be left blank if item 1 was not rated.

Awareness Category	Calculation	Score ¹
Iliness Awareness	Q2 + (10 – Q4) + Q7 ÷ total # of responses	
Symptom Attribution	Q1_8 * *Exclude if indicated as N/A	

- 2) The calculations in the Calculation column of the SCORING SHEET should be performed to generate the Awareness Category scores in the Score column.
- 3) Once calculated, the Awareness Category Scores should be summed to determine the Subtotal.
- 4) The OASIS Average Total Score is calculated by dividing the Subtotal by the number of Awareness Categories for which a score could be determined. The OASIS Average Total Score should be divided by <u>four</u> if all categories were measured. The OASIS Average Total Score should be divided by <u>three</u> if no score was reported for Symptom Attribution.